

South Penn Code Consultants

1382 Seven Valleys Road York PA 17408 Phone 717-942-2248 Fax 717-942-2467 Municipality:

Permit No.: _____

Date: _____

APPLICATION FOR COMMERICIAL BUILDING PERMIT.

Site	Facility Name (name of company,	mall, institutio	n, university, etc.):				
Information	Building and/or Tenant Name						
Political	Street Number and Name						
Subdivision and	City	State	Zip Code				
required.	Political Subdivision:		County:				
	Accessibility Only Review		Addition				
Application	Alteration or Renovation		New Building				
Туре	New Structure/Facility		-				
	Uncertified (Existing) Building						
Use/Occupancy	🗌 A-1 🗌 A-2 🗌	A-3	A-4 🗌 A-5	□ B	🗌 E		
Classification:	🗌 F-1 🗌 F-2 🗌	H-1	H-2 🗌 H-3	🗌 H-4	🗌 H-5		
	🗌 I-1 🗌 I-2 🗌	I-3	I-4 🗌 M	🗌 R-1	🗌 R-2		
applicable group.	🗌 R-3 Adult Care	R-3	R-4 🗌 S-1	🗌 S-2	🗌 U		
Check all that apply.							
Mandatory	Check each block below indicating	that all of the f	ollowing will be submi and bound sets of co	tted with this	application: awings		
Documents	One (1) completed copy of the \mathbf{F}	PLAN REVIEW	CHECKLIST		5		
Special Requirements	Does this construction involve modular units built in a factory?	☐Yes ☐No					
&	Is this construction regulated by		If " Ves " submit 1 co	ny of the ann	roval letter		
Documentation	the Health Care Facilities Act?		issued by the PA De	partment of H	ealth.		
	Is this construction exempt from energy code requirements?	Yes No	If " Yes ," submit 1 co the building or struc nor fossil fuels, and 90.1, §2.3(B).	opy of a letter ture will use n thus is exemp	indicating that leither electricity t per ASHRAE		
	Is project in flood hazard area?	□Yes □No	If " Yes ," submit 1 co	ppy of one of t	he flood hazard		
			certifications manda International Buildin	ted in section g Code.	1612.5 of the		
	Are International Building Code (Chapter 17) special inspections or structural observations required?	□Yes □No	If " Yes ," submit 1 cc INSPECTIONS OBSE	opy of the SPE RVATIONS ST	CIAL ATEMENT.		
	Will an alternative construction method or material be used on this project?	☐Yes ☐No	If " Yes ," submit a si that the proposed m requirements of 34 I	gned stateme ethod or mate PA Code §403	nt indicating erial meets the .44.		
	Is this application for "phased approval"?	□Yes □No					
For Official Use Only	Check #: A	 mount:	Date:				

	Number of stories above grade
Project Data	Does it have a basement? Yes No
	Total floor area (sq. ft.)
	Floor area new construction (sq. ft.)
	Floor area of addition (sq. ft.)
	Floor area renovated (sq. ft.)
	Estimated cost of construction \$
	Type(s) of construction per Chapter 6 of the <i>International Building Code</i> (check all that apply):
	□ IA □ IB □ IIA □ IIB □ IIIA □ IIIB □ IV □ VA □ VB
	Fire suppression: 🗌 Full 🗌 Partial 🗌 None
	If application applies to an existing certified building, provide any prior file $\#$, DI $\#$,
	permit #, etc. associated with this project:
	File #: Permit #:
	DI #: Other (MA #/Fee #):
Building Code Data	Triennial ICC code version used for Building code compliance: 2009 2015 If Alterations to existing certified building: (select applicable document used) IBC Chapter 34 International Existing Building Code (IEBC)
Accessibility	Triennial ICC code version for Accessibility code compliance/IBC Chapter 11
Code Data	2015 2018
Design Professional In Responsible Charge Seal must be in space to right of name & address.	Name
Ownor	Owner Name
Information	Street Address
	City Zip Code
	Phone
Deferred Submissions	If you intend to defer any of the plan submission below, please, check the appropriate box(es).

Additional Notes:

Applicant's Certification:

Note: THE BUILDING PERMIT AND THE CERTIFICATE OF OCCUPANCY FOR THIS BUILDING OR STRUCTURE WILL BE ISSUED TO AND IN THE NAME OF THE PERSON LISTED BELOW.

As the owner or the authorized agent of the project for which this application is filed, I certify that:

- 1. The estimated construction cost and all other information provided as part of this application for a building permit is correct.
- 2. The building or structure described in this application will not be occupied until all known code violations are corrected and a Certificate of Occupancy has been received from South Penn Code Consultants.
- 3. This project will be constructed in accordance with the approved drawings and specifications (including any required non-design changes) and the Uniform Construction Code standards as specified in 34 PA Code Chapters 401-405.
- 4. Any changes to the approved documents will be filed and Reviewed with South Penn Code Consultants.
- 5. If the licensed architect or engineer in responsible charge of this construction should change, written notice of the change will be provided to South Penn Code Consultants.
- 6. When required, up to 20% of the total cost of any work performed on an area of primary function in an existing building will be expended to provide an accessible route to the area of primary function.
- No error or omission in either the drawings and specifications or application, whether approved or not, shall permit or relieve me from constructing the work in any manner other than provided for in 34 PA Code Chapters 401-405.

Applicant Name		
Street Address		
City	_ State	Zip Code
Phone		
Email		
Applicant Signature		Date



South Penn Code Consultants 1382 Seven Valleys Road York PA 17408 ants Phone 717-942-2248 Fax 717-942-2467

PLAN REVIEW CHECKLIST

This checklist must accompany permit applications for all Commercial buildings

ALL INFORMATION MUST BE FILLED IN, CHECKED OR MARKED "NA"

Project Name:	
Project Address:	
Owner/Agent:	Telephone:
Design professional or other person we can contact about info on this form and other project details (if same as Owner/Agent, just provide fax # and e-mail address):	Phone: Fax: Email:

General Requirements:

All drawings, shall be sealed, signed, and dated, by a design professional (licensed architect or engineer).

Three (3) sets of drawings are included in this application package (mandatory).

Three (3) site plans are	included in this application	n package (mandatory).
--------------------------	------------------------------	------------------------

One (1) set of specifications is included in this application package (mandatory).

SITE PLANS:

🗌 Yes	🗌 N/A	a.	Site plans shall be prepared to scale (not less than $1''=20'$), with legend, north
🗌 Yes	🗌 N/A	b.	Show the correct street address, parcel number and required municipal zoning (if there is local zoning ordinance) on the site plans.
🗌 Yes	🗌 N/A	с.	Show and identify all property lines and rights-of-way, with distance from property lines and adjacent buildings on site plans.
🗌 Yes	🗌 N/A	d.	Show all accessible parking spaces and signage per ICC/ANSI A117.1 and the <i>International Building Code</i> on site plan.
□ Yes	□ N/A	e.	Show accessible curb cuts, ramps and access ways to the building.
☐ Yes	\square N/A	f.	Show all existing and proposed driveway entrances.
☐ Yes	\square N/A	g.	Identify adjacent land uses and zoning.
 Yes	, □ N/A	h.	Show all easements, flood ways, and required buffers.
Yes	□ N/A	i.	Show existing and proposed utilities (with backflow preventers) to serve the site.
🗌 Yes	🗌 N/A	j.	Show existing and proposed finish grades.
🗌 Yes	🗌 N/A	k.	Show details, sections, and elevations needed for construction.
🗌 Yes	🗌 N/A	١.	Show all buffer and screening landscaping.
🗌 Yes	🗌 N/A	m.	Show all required parking and loading spaces and calculations.
ARCHI	FECTURAL	PLAN	IS:
∐ Yes	∐ N/A	a.	Show architectural floor plans of each floor. These pages must be at least 18" x 24" in size (but not more than 36" x 42"), drawn to a scale of not less than 1/8" = 1'. Indicate (or reproduce) the approved, tested hourly rating, number and location of all rated members and assemblies (walls, columns, beams, floor and ceiling, and ceiling and roof fire-rated design assemblies). Show all fire-rated walls (both existing and new) with their ratings, if not shown elsewhere. Drawings submitted without required fire-rated walls shown will be rejected.
🗌 Yes	🗌 N/A	b.	Show the square footage of each floor on the corresponding floor plans.
🗌 Yes	🗌 N/A	с.	Identify the names and uses of each room.
🗌 Yes	🗌 N/A	d.	Furnish door schedule(s), including size, type, rating (if any) and hardware.
🗌 Yes	🗌 N/A	e.	Provide all glazing schedules.
Yes	□ N/A	f.	Show elevations with dimensions defining overall building height, floor-to-floor heights or heights to ridge and eave as applicable to the type of building construction listed on the UCC application. (Note: Where an existing building is involved, photographs of all sides of the building may be submitted to show elevations. These will be acceptable only if they show all elements necessary to determine compliance with the UCC.)
🗌 Yes	🗌 N/A	g.	Provide basement percentage-below-grade calculations.
🗌 Yes	□ N/A	ĥ.	Indicate roof slopes, drainage system and sized through wall scuppers, if applicable to the project.
🗌 Yes	🗌 N/A	i.	Show fixed seating for assembly occupancy to allow determination of occupancy posting required by <i>International Building Code</i> .
🗌 Yes	🗌 N/A	j.	Show wall sections with proposed material sizes, construction and fire-rated assemblies.
🗌 Yes	🗌 N/A	k.	Show proposed plumbing fixtures and privacy screens on the plans.

🗌 Yes	🗌 N/A	١.	If masonry construction is proposed, include the following information:
			\Box Type of brick ties and spacing of weep holes.
			Placement of wall flashing and reinforcement.
☐ Yes	□ N/A	m.	If appropriate for the proposed occupancy, plans should identify all hazardous material control areas, fire barriers and the required fire-resistance ratings for these barriers. All identified control areas shall list the name, class, quantity and method of storage of all hazardous materials processed, manufactured or used in a manufacturing process and contained within its fire barriers. Provide a Material Safety Data Sheet for each listed hazardous material. See sections 414 and 415 of the <i>International Building Code</i> Show the floor slab vapor barrier.
☐ Yes	\square N/A	0.	Show foundation water-proofing, if applicable.
Yes	□ N/A	p.	All penetrations of fire-rated construction must be per manufacturer's details. The details shall meet or exceed the rating of construction being penetrated. The penetration details shall be exactly as tested by an approved testing laboratory or agency and shall include their system numbers. New penetrations of existing fire-rated walls and assemblies shall be shown with appropriate designs.
	🗌 N/A	q.	Show penthouse drawings.
🗌 Yes	□ N/A	r.	Provide on the drawings the calculations for the means of egress widths for the entire floor occupancy load and the existing capacity of all exits including all stairs, doors, corridors and ramped exits.
🗌 Yes	🗌 N/A	s.	Show required ventilation louvers and vent sizes.
STRUC	TURAL PLA	NS:	□ N/A
🗌 Yes	🗌 N/A	a.	Show foundation plans indicating the proposed slab elevations and type of foundation (i.e., mat foundation, caissons, spread footings, etc.).
🗌 Yes	🗌 N/A	b.	Provide preliminary soil analysis data done by a licensed engineer, if required.
🗌 Yes	🗌 N/A	с.	Indicate dimensions of foundations.
🗌 Yes	□ N/A	d.	Show type, size and location of piling and pile caps for pile foundation.
🗌 Yes	□ N/A	e.	Indicate grade beam sizes.
∐ Yes	∐ N/A	f.	Indicate a footing schedule defining footing sizes and the required reinforcing.
∐ Yes	∐ N/A	g.	Show the established footing depth below grade and method of frost protection allowed in the <i>International Building Code</i> .
🗌 Yes	□ N/A	h.	Indicate the thickness of the floor slab, size of reinforcing, slab elevations, and type and details of foundations.
🗌 Yes	🗌 N/A	i.	Indicate location, size and amount of reinforcing steel.
🗌 Yes	□ N/A	j.	Show foundation corner reinforcing bars and minimum overlapping (as applicable to project structure).
🗌 Yes	🗌 N/A	k.	Provide strength of concrete according to designed soil reports.
🗌 Yes	🗌 N/A	١.	Show beams, joists, girders, rafters, and/or truss layouts and details of connections, structural steel stud gage, gage size, and connections.
🗌 Yes	🗌 N/A	m.	Indicate the sizes and species of all wood members and their respective design strength.
🗌 Yes	🗌 N/A	n.	Show all columns, girders, joists, purlins, beams and base plates; for wood construction show all headers.
🗌 Yes	□ N/A	о.	Provide a complete lintel schedule.
	/		

Revised 9/8/2021

YesYesYes	□ N/A □ N/A □ N/A	q. r. s.	Indicate design dead and live, wind, snow, seismic loads for floor areas, roofs, balconies, porches, breezeways, corridors, stairs, mezzanines and platforms. Show concentrated loads, i.e. file rooms, machinery and forklift areas, if greater than those shown on the Code Summary Sheet. Identify shear walls, bracing, strapping fastening, reinforcement and any special anchoring required. Where applicable, indicate on roof framing plan where concentrated loads (mechanical equipment, cranes, etc.) will be placed. Indicate on foundation and framing plans the location and lateral load resisting
			system. (Show walls, braced frames, moment connections, etc.)
FIRE PF	ROTECTION	N PL/	ANS: LIN/A
🗌 Yes	🗌 N/A	a.	Complete a sprinkler design data sheet and include it on the first plan of the sprinkler drawings.
☐ Yes	□ N/A	b.	 Show floor plans for each floor with sprinkler piping layout, pipe sizes, pipe hanger details, piping materials, doors, walls and room identities. Often, these shop drawings are not available at the time of initial plan submission. If this is the case, write in "NA," but note the following: These shop drawings must be submitted for department review and approval at least two weeks before the projected installation date. Failure to obtain approval of these drawings before installation could result not only in delay of the final inspection and issuance of an occupancy permit, but also in removal and reconstruction of installations which fail to meet UCC requirements.
🗌 Yes	🗌 N/A	с.	Show ceiling plans with sprinkler head(s) layout, walls, soffits, openings, doors, dimensions and room identities
Yes	□ N/A	d.	 Verify system design by providing hydraulic calculations along with the following: Recent water flow test Percent safety margin Type of backflow-preventer or reduced pressure zone showing equivalent foot loss Fire pump summary
🗌 Yes	□ N/A	e.	Note the type of sprinkler system used (e.g., 13, 13D, or 13R)
∐ Yes	∐ N/A	f.	For residential occupancies such as apartments and condominiums, show sprinkler head locations at breezeways, if applicable.
☐ Yes	□ N/A	g.	Indicate the certified testing laboratory agency (e.g., U.L.), their test number and hourly ratings of all new and/or affected rated members and assemblies (i.e. columns, beams, floor/ceiling and ceiling/roof fire-rated design assemblies). Show all new and/or affected fire-rated walls with their ratings, if not shown elsewhere.
☐ Yes	□ N/A	h.	All penetrations of fire-rated construction must be per manufacturer's details. Details shall meet or exceed ratings of construction being penetrated. The penetration details shall be exactly as tested by a certified testing laboratory or agency and shall include their system numbers. All new penetrations of existing fire-rated walls and assemblies shall be shown with appropriate designs.
🗌 Yes	□ N/A	i.	Provide a fire alarm riser showing connection to a UL-approved central station. Show tamper switches on both OS and Y valves of backflow prevention device, unless shown elsewhere.
🗌 Yes	🗌 N/A	j.	Indicate commodity class (per section 2303 of the <i>International Fire Code</i>) and height of any storage.
🗌 Yes	□ N/A	k.	Provide Material Safety Data Sheets for any hazardous materials (also specified under "ARCHITECTURAL PLANS").

Revised 9/8/2021

🗌 Yes	□ N/A	Ι.	Where special temperature-rated or high-temperature sprinklers are required, show sprinkler type(s) per area, office size, cut sheets with K-factor, water requirements, spray pattern, coverage and other pertinent data.
SYSTEM	I CALCULA	TION	IS (FIRE PROTECTION):
🗌 Yes	🗌 N/A	a.	Flow and pressure at each flowing sprinkler head.
🗌 Yes	🗌 N/A	b.	Flow diagram for a grid system.
PLUMB	ING PLANS	5:	□ N/A
🗌 Yes	🗌 N/A	a.	Show a site utilities plan, if not provided with the civil drawings. $$
			Show the domestic water, fire, and irrigation services.
			Show the location of water meters, backflow protection type and location.
			Show the sanitary sewer service from building to public sewer or approved
		h	private sewage disposal system.
∐ res	L N/A	D.	show interceptors as applicable to project and size by now rate. (i.e., grease,
		c	Drovide plumbing plan layouts for each floor. These should show the water
		с.	distribution and drain-waste-vent piping and all details notes legends and
			schedules necessary to define the system being installed.
🗌 Yes	🗌 N/A	d.	Show the location of all major components required for a complete system.
🗌 Yes	□ N/A	e.	Provide fixture and equipment schedule showing fixture number, detailed
			description, hot water, cold water, waste and vent connection sizes and other
_	_		pertinent data.
🗌 Yes	□ N/A	f.	Identify all fixtures on floor plans and in riser diagrams with the plumbing fixture schedule number.
🗌 Yes	🗌 N/A	g.	Supply and Waste/Vent piping shall be shown on the floor plans. All pipe sizes
			shall be clearly shown. In congested areas (e.g., restaurants, grocery stores,
—			etc.), isometrics are required.
∐ Yes	∐ N/A	h.	On buildings two stories and above, provide isometric diagrams and/or
			schematic riser diagrams for Supply and waste/vent piping and identify the
			connect to the building drain, along with all interconnected pining on each floor
			plan. All pipe sizes shall be clearly defined.
🗌 Yes	□ N/A	i.	Show the water, sanitary drain-waste-vent piping and storm leaders/drains.
_			Indicate sizes and materials for above/below grade.
🗌 Yes	🗌 N/A	j.	Show slope of horizontal sanitary and storm drains that equal or exceed 3"
_	_		diameter, if less than 1/8" per foot.
🗌 Yes	∐ N/A	k.	Indicate roof drains and emergency roof drains/scuppers with the areas they
			impact. Note that "emergency" = "secondary" = "overflow"; see following roof
			drainage examples:
			• ROOI DIdill - 0 RD (10000 SF) • Emergency Reaf Drain $= 6''$ EPD (8180 SE)
			 Parapet Wall Scupper - 8" x 5" WS (4000 SF)
			• Emergency Scupper - $8'' \times 7''$ ES (4200 SF)
🗌 Yes	🗌 N/A	١.	Show toilet room layouts with minimum of $\frac{1}{4}$ " = 1 foot scale.
Yes	 □ N/A	m.	Show drinking fountain locations.
🗌 Yes	□ N/A	n.	All penetrations of fire-rated construction must be per manufacturer's details.
			The details shall meet or exceed rating of construction being penetrated. The
			penetration details shall be exactly as tested by an approved testing laboratory
			or agency and shall include their system numbers.

☐ Yes☐ Yes☐ Yes	□ N/A □ N/A □ N/A	o. p. q.	Room names and numbers for each floor should be on a floor plan for each level. Provide minimum facilities calculations. Column line notations, if provided on the architectural/structural plans, shall be indicated on the plumbing plans.
МЕСНА	NICAL PLA	NS:	□ N/A
🗌 Yes	🗌 N/A	a.	Show all required wall louvers, penetrations and fans.
🗌 Yes	🗌 N/A	b.	Indicate roof-mounted equipment locations.
🗌 Yes	□ N/A	с.	Show all mechanical equipment, piping, ductwork (above/below slab) on the mechanical floor and/or roof plan.
🗌 Yes	□ N/A	d.	Provide mechanical plans for each floor and the roof. These shall show the ductwork layouts, schedules, notes, legends, piping schematics, and details necessary to define the system being installed.
🗌 Yes	□ N/A	e.	Indicate air distribution devices and show cfm for all supply, return and exhaust devices.
🗌 Yes	□ N/A	f.	Indicate the location of all equipment components required for a complete system.
🗌 Yes	🗌 N/A	g.	Show the smoke ventilation of atriums and pressurization of high-rise stairwells.
🗌 Yes	□ N/A	h.	Show condensation drains, primary and secondary, from the unit to the point of discharge.
🗌 Yes	□ N/A	i.	Indicate toilet exhaust requirements.
∐ Yes	∐ N/A	j.	Show mechanical room layouts at sufficient scale for dimensions and details to be ascertained.
Yes	□ N/A	k.	Show the size of duct runs.
∐ Yes	∐ N/A	Ι.	Indicate controls for fan shutdown: emergency manual and automatic smoke detection
∐ Yes	∐ N/A	m.	Show the location of all UL 555-certified fire dampers, ceiling radiation dampers, smoke dampers, and fire doors.
∐ Yes	∐ N/A	n.	Show all fire-rated walls (both existing and new) with their ratings on the mechanical plans.
🗌 Yes	□ N/A	0.	All penetrations of fire-rated construction must be per manufacturer's details.
∐ Yes	∐ N/A	р.	Room names and numbers for each floor should be on a floor plan for each level.
∐ Yes		q.	Provide outside air ventilation rate per the <i>International Mechanical Code</i> .
∐ Yes		r.	column line notations, if provided on the architectural/structural plans, shall be identified on the mechanical plans.
Yes	∐ N/A	s.	building, all gas piping layout on the floor plan for each floor. If it is a multi-story building, all gas piping shall be shown per floor. Include pipe sizes, water column, and type of material. Provide a schedule of connected equipment, total BTUH demand, total equivalent length, and most remote gas appliance.
ELECTR		NS:	□ N/A
🗌 Yes	□ N/A	a.	Provide panel schedules with circuit and feeder loading, overcurrent protection, and NEC load summaries for all new and/or affected panels and services (loading has to be evaluated by highest phase); include fault current data, short circuit ratings and fault current protection coordination.
🗌 Yes	🗌 N/A	b.	Provide a single line riser diagram showing all new and/or affected services, feeders, wire sizes and insulation types, and conduit sizes and types.
🗌 Yes	□ N/A	C.	Indicate number of services and their physical locations; clearly indicate mains and characteristics.

🗌 Yes	🗌 N/A	d.	Indicate the grounding electrode conductor size with new and/or affected services and transformers; where necessary provide details or notes on methods.
🗌 Yes	🗌 N/A	e.	Show physical locations of all new and/or affected panels and switchgear (indicate front).
🗌 Yes	🗌 N/A	f.	Indicate receptacle plans with circuitry.
🗌 Yes	□ N/A	g.	Indicate lighting plans with circuitry.
🗌 Yes	□ N/A	h.	Show electrical plans for each affected floor, including the roof.
🗌 Yes	□ N/A	i.	Show wiring method(s), conduit sizes and types, termination temperature (60, 75, 90) requirements, conductor sizes and insulation types.
🗌 Yes	□ N/A	j.	Indicate the design and/or operation for any of the following applicable life safety systems: emergency generators, smoke evacuation, shaft pressurization and relief, smoke detection, egress and emergency lighting, and fire alarms.
🗌 Yes	□ N/A	k.	Indicate how special needs such as classified (hazardous), corrosive and patient care are treated. Provide detailed plan of classified areas, the classifications and how complied with (i. e. hangers, waste treatment and collection, flammable dusts, gases or liquids, spray booths, vehicle servicing and parking, etc.).
☐ Yes	□ N/A	Ι.	Provide all HVAC nameplate data, including MCA and MOCP. List all other appliance and/or equipment (other than those which will be connected to a general use receptacle) with nameplate data (i.e., voltage, phasing, HP, KVA, FLA, RLA, etc.).
🗌 Yes	🗌 N/A	m.	Indicate all motor horse power ratings, if not supplied elsewhere.
☐ Yes	□ N/A	n.	Indicate the certified testing laboratory or agency (e.g., UL), their test # and hourly ratings of all new and/or affected rated members and assemblies (i.e. columns, beams, floor/ceiling, and ceiling/roof fire-rated design assemblies). Show all new and/or affected fire-rated walls with their ratings, if not shown elsewhere.
Yes	□ N/A	0.	All penetrations of fire-rated construction must be per manufacturer's details. The details shall meet or exceed ratings of construction being penetrated. Penetration details shall be exactly as tested by an approved testing laboratory or agency and shall include their system numbers. New penetrations of existing fire-rated walls and assemblies shall be shown with appropriate designs.
🗌 Yes	□ N/A	p.	Provide all applicable <i>International Energy Conservation Code</i> compliance data on the Building Code Summary sheet or on the electrical plans.
🗌 Yes	□ N/A	q.	All submittals should include a listing and labeling statement. (All electrical materials, devices, appliances and equipment shall be labeled and listed by a certified testing laboratory or agency.)



Uniform Construction Code SPECIAL INSPECTIONS AND OBSERVATIONS STATEMENT

This statement must accompany permit applications for all construction for which special inspections and observations are required in Chapter 17 of the <i>International Building Code 2015</i> (<i>IBC</i>)				
Project name:				
Project address:				
Owner: Telephone:				

This is to certify that all the inspections and observations that I have checked on pages 2-3 **and** on page 4 of this statement are required for the project named above and will be performed by the designated individuals or firms. By signing this statement, I also acknowledge that:

- these inspections and observations must be performed by competent individuals in accordance with the requirements of the IBC Chapter 17 (as applicable) and that the construction work must comply with the department-approved plans and specifications and all applicable provisions of the uniform construction code;
- records of all required special inspections and testing observations (including any discrepancies and methods of correction of these discrepancies) will be retained and made available to department representatives, upon request; and,
- the final report section of this statement must be signed by me and a copy of this statement submitted to the South Penn Code Consultants Inspector, at the time that the final inspection is performed and before a certificate of occupancy is issued.

Name of Design Professional in Responsible Charge

Affix Seal Here

Signature of Design Professional in Responsible Charge

PA License Number

Date signed (Month/dav/year)

CHECK EACH THAT APPLIES	TYPE OF SPECIAL INSPECTION OR OBSERVATION	NAME AND ADDRESS OF INDIVIDUAL AND/OR FIRM PERFORMING INSPECTION OR OBSERVATION	CREDENTIALS (Enter acronym from page 4. If "Other," please specify special training or basis for competency to perform work.)
	Inspection of Steel Construction Section 1705.2		
	Inspection of Concrete Construction Section 1705.3		
	Inspection of Masonry Construction Section 1705.4		
	Inspection of Wood Construction Section 1705.5		
	Inspection of Soil Conditions Section 1705.6		
	Inspection of Driven Deep Foundations Section 1705.7		
	Inspection of Cast-in-Place Deep Foundations Section 1705.8		
	Inspection of Helical Pile Foundations Section 1705.9		

APPLIES	INSPECTION OR OBSERVATION	INSPECTION OR OBSERVATION	competency to perform work.)
	Inspection of Fabricated Items Section 1705.10		
	Inspection for Wind Resistance Section 1704.6; 1705.11		
	Inspection and Testing for Seismic Resistance Section 1704.6;1705.12;1705.13		
	Inspection of Sprayed Fire-Resistant Materials Section 1705.14		
	Inspection of Mastic and Intumescent Fire-Resistant Coatings Section 1705.15		
	Inspection of Exterior Insulation and Finish System (EIFS) Section 1705.16		
	Inspection of Fire-Resistant Penetrations and Joints Section 1705.17		
	Testing for Smoke Control Section 1705.18		

FINAL REPORT	Required special inspections or observations:		
	 Inspection of Steel Construction Inspection of Concrete Construction Inspection of Masonry Construction Inspection of Wood Construction 	 Inspection of Fabricated Items Inspection for Wind Resistance Inspection and Testing for Seismic Resistance Inspection of Sprayed Fire-Resistant Materials 	
	 Inspection of Soil Conditions Inspection of Driven Deep Foundations Inspection of Cast-in-Place Deep Foundations Inspection of Helical Pile Foundations 	 Inspection of Mastic and Intumescent Fire-Resistant Coatings Inspection of Exterior Insulation and Finish System (EIFS) Inspection of Fire-Resistant Penetrations and Joints Testing for Smoke Control 	
	I certify that I have reviewed the report on each of t the covered work is in compliance with the departme uniform construction code.	ch of the inspections or observations checked above. These reports indicate that partment-approved plans and specifications and all applicable provisions of the Signature of Design Professional in Responsible Charge:	
		Date signed:	
		(Day/month/year)	

ACI	American concrete institute certified concrete field testing technician	
AWS	American welding society certified welding inspector	
ASNT	American society of non-destructive testing	
AWCI	Association of wall and ceiling industries	
MCA	Model code agency (ICC, BOCA, SBCCI, ICBO) special inspection certification	
PA	Professional architect (currently licensed)	
PE	Professional engineer (currently licensed)	
OTHER	Specialized training coursework or other basis for competency deemed acceptable	

KEY for use in **CREDENTIALS** column: (on pages 2, 3 and 4)

WORKERS' COMPENSATION INFORMATION FORM

THIS FORM REQUIRES A NOTARY SEAL

AFFIDAVIT OF EXEMPTION

The undersigned affirm that he/she is not required to provide workers compensations insurance under the provisions of Pennsylvania's Workers' Compensation Law for one of the following reasons, as indicated:

_____ Property owner performing own work. If property owner does hire a contractor to perform any work pursuant to building permit, contractor must provide proof of workers' compensation insurance to the municipality. Homeowner assumes liability for contractor compliance with these requirements.

____ Contractor has no employees. Contractor prohibited by law from employing any individual to perform work pursuant to this building permit unless contractor provides proof of insurance to the municipality.

_____ Religious exemption under the Workers' Compensation Law. All employees of contractor are exempt from workers' compensation insurance (attach copies of religious exemption letter for all employees).

Signature of Applicant							
County of							
Municipality of							
Subscribed, sworn to and acknowledged before me by the above							
	this	Day of	20				
SEAL							
Notary Public							
	MUST BE NOTARIZED						